

## Trichopterological literature

## 2003

Keiper, J.B., Bartolotta, R.J. 2003  
Taxonomic and ecological notes on *Leucotrichia pictipes* (Trichoptera: Hydropsychidae), a microcaddisfly newly recorded from Ohio, U.S.A. – *Entomol. News* 114:255-259.

Lukas, Jozef; Krno, Ilya 2003  
Caddisflies (Trichoptera) of the Gidra River basin. – *Acta Zool. Univers. Comenianae* 45:69-75.

Szczęsny, Bronisław 2003  
Fauna chruścików Trichoptera Babiej Góry (Karpaty Zachodnie). – *Monografia Fauny Babiej Góry* 2003:251-277.

Umeozor, O.C. 2003  
Trichoptera of the lower Niger delta, Nigeria: species composition and relative abundance. – *Tropical Freshw. Biol.* 12-13:1-7.

Wallace, Ian 2003  
Managing priority habitats for invertebrates; vol. 18: Trichoptera, caddisflies. – *Buglife* (The Invertebrate Conservation Trust, Peterborough) 2003:6-43.

## 2004

Brown, Sarah A.; Ruxton, Graeme, D.; Humphries, Stuart 2004  
Physical properties of *Hydropsyche siltalai* (Trichoptera) net silk. – *J. NABS* 23:771-779.

Edler, Christopher; Geogian, Ted 2004  
Field measurements of particle-capture efficiency and size selection by caddisfly nets and larvae. – *J. NABS* 23:756-770.

Glover, James B., Floyd, Michael A. 2004  
Larvae of the genus *Nectopsyche* (Trichoptera: Leptoceridae) in eastern North America, including a new species from North Carolina. – *J.N.Amer.Benthol.Soc.* 23:526-541.

Kawase, Naoki; Matsumura, Takeshi; Kuranishi, Ryoichi; Hisamatsu, Masaki 2004  
Caddisfly (Insecta, Trichoptera) fauna of upstream area of Koise river basin in Ibaraki Prefecture, Japan, collected by malaise traps. – *Bull. Ibaraki Nature Museum* 7:103-123. [Japanese]

Kluge, Nikita J. 2004  
Larval/pupal leg transformation and a new diagnosis for the taxon *Metabola Burmeister, 1832* = *Oligoneoptera Martynov, 1923*. – *Russian Entomol.J.* 13:189-229.

Loskutova, Olga 2004  
Aquatic insects of the rivers of the western Polar Urals (Russia). – *Latvijas Entomologs* 41:80-86.

Lukas, Jozef 2004  
Invasive and newly-recorded caddisflies (Trichoptera) from Slovakia. – *Biologia (Bratislava)* 59:685-686.

Majewski, Tomasz 2004  
Chruściki (Trichoptera) Jeziora Babiety Wielkie. – *Przegląd Przyrodniczy* 15:43-51. [Caddis-flies (Trichoptera) of Lake Babiety Wielkie]

Nijboer, Rebi 2004  
The ecological requirements of *Agapetus fuscipes* (Glossosomatidae), a characteristic species in unimpacted streams. – *Limnologia* 34:213-223.

Petersen, I., Masters, Z., Hildrew, A.G., Ormerod, S.J. 2004  
Dispersal of adult aquatic insects in catchments of differing land use. – *J. Appl. Ecol.* 41:934-950.

Schmera, D.; Eros, T. 2004  
Effect of riverbed morphology, stream order and season on the structural and functional attributes of caddisfly assemblages (Insecta, Trichoptera). – *Annales de Limnologie* 40:193-200.

Ruiz-Garcia, A.; Salamanca-Ocana, J.C.; Ferreras-Romero, M. 2004  
The larvae of *Allogamus gibraltarius* González & Ruiz, 2001 and *Allogamus mortoni* (Navás, 1907) (Trichoptera, Limnephilidae), two endemic species of the Iberian Peninsula. – *Annales de Limnologie* 40:343-349.

Shan, Lin-na; Yang, Lian-fang; Wang, Bei-xin 2004  
Association of larval and adult stages of ecologically important caddisfly (Insecta: Trichoptera) using mitochondrial DAN sequences. – *Zool. Research* 25:351-355. [Chinese]

Yang, Lianfang; Wang, Beixin; Yang, Weifang 2004  
Trichoptera, in: *Insects from Mt. Shiwandashan Area of Guangxi*: 391-395. [Chinese]

## 2005

Alecke, Christian; Spänhoff, Bernd; Meyer, Elisabeth I. 2005  
Avoidance behaviour in the gallery construction of *Tinodes unicolor* (Psychomyiidae, Trichoptera) to prevent intraspecific encounters. – *Arch. Hydrobiol.* 164:335-343.

Alexander, Susan; Smock, Leonard A. 2005  
Life histories and production of *Cheumatopsyche analis* and *Hydropsyche betteni* (Trichoptera: Hydropsychidae) in an urban Virginia stream. – *Northeastern Naturalist* 12:433-446.

Alvarez, Maruxa, Pardo, Isabel 2005  
Life history and production of *Agapetus quadratus* (Trichoptera: Glossosomatidae) in a temporary spring-fed stream. – *Freshw. Biol.* 50:930-943.

Baumgardner, David E.; Bowles, David E. 2005  
Preliminary survey of the mayflies (Ephemeroptera) and caddisflies (Trichoptera) of Big Bend Ranch State Park and Big Bend National Park. – *Journal of Insect Science (Tucson)* 5(28).

Bochert, Ralf; Bochert, Anke 2005  
A gynandromorphic specimen of *Oecetis ochracea* (Curtis, 1825) from Germany (Trichoptera: Leptoceridae). – *Annals of Anatomy* 187:575-577.

Bonada, Nuria, Zamora-Muñoz, Carmen, Rieradevall, Maria, Prat, Narcis 2005  
Ecological and historical filters constraining spatial caddisfly distribution in Mediterranean rivers. – *Freshw. Biol.* 50:781-797.

Bonada, Nuria, Vives, Sergi, Rieradevall, Maria, Prat, Narcis 2005  
Relationship between pollution and fluctuating asymmetry in the pollution-tolerant caddisfly *Hydropsyche exocellata* (Trichoptera, Insecta). – *Arch. Hydrobiol.* 162:167-185.

- Brettfeld, Ralf 2005  
Faunistische Charakterisierung eines hochmontanen Gebirgsbaches im Thüringer Wald unter besonderer Berücksichtigung der Eintags-, Stein- und Köcherfliegen. – Veröff. Naturhist. Mus. Schleusingen 20:3-14.
- Chvojka, Pavel; Novák, Karel, Sedlák, Edmund 2005  
Trichoptera (chrostici), pp. 168-171, in: Farkač J., Král, D. & Škorpík M (eds): Červený seznam ohrožených druhů České republiky. Bezobratlí [Red list of threatened species in the Czech Republic. Invertebrates.]. Agentura ochrany přírody a krajiny ČR, Praha.
- Elliott, J.M. 2005  
Contrasting diel activity and feeding patterns of four instars of *Rhyacophila dorsalis* (Trichoptera). – Freshw. Biol. 50:1022-1033.
- Elliott, J.M. 2005  
Ontogenetic shifts in the functional response and interference interactions of *Rhyacophila dorsalis* larvae (Trichoptera). – Freshw. Biol. 50:2021-2033.
- Erős, Tibor; Schmera, Dénes; Cser, Balázs; Csabai, Zoltán; Murányi, Dávid 2005  
Makrogerinctelen együttesek összetétele két közephegységi patakban – a patak rendűség és a gázló-medence szerkezet szerepe. – Acta Biol. Debr. Oecol. Hung. 13:85-94. [Composition of macroinvertebrate assemblages in two submontane streams – the influence of stream order and riffle-pool structure]
- Funakoshi, Shintaro 2005  
Intraspecific and interspecific competition for larval nests of the caddisflies *Stenopsyche marmorata* and *Stenopsyche sauteri*. – Entomol. Science 8:339-345.
- Green, G.H.; Westwood, B. 2005  
In search of the land caddis. – British Wildlife 17:21-26.
- Gullefors, Bo 2005  
Nya provinsfynd av nattsländor (Trichoptera) i Sverige 2004. – Entomol. Tidskr. 126:117-120.
- Hayashi, Yoshio 2005  
Study on genetic diversity of *Cheumatopsyche unfascia* (Trichoptera) by the PCR-SSCP method. – Bull. Biogeographical Soc. Japan 60:43-46. [Japanese]
- Ivanov, V.D., Melnitsky, S.I. 2005  
New caddisfly species of the genus *Wormaldia* (Trichoptera: Philopotamidae) from Baltic Amber. – Paleontol. Zhurnal 3:59-62. [Russian]
- Izumi, Katano; Isobe, Yu; Oishi, Tadashi 2005  
Diel periodicity in the drift of the fourth instar *Micrasema quadriloba* (Trichoptera: Brachycentridae) larvae in relation to body size. – Korean J. Limnol. 38 (special issue) Serial number 111:17-21.
- Katano, Izumi; Mitsuhashi, Hiromune; Isobe, Yu; Sato, Hiroaki; Oishi, Tadashi 2005  
Reach-scale distribution dynamics of a grazing stream insect, *Micrasema quadriloba* Martynov (Brachycentridae, Trichoptera), in relation to current velocity and periphyton abundance. – Zool. Science (Tokyo) 22:853-860.
- Kehl, Siegfried 2005  
*Thremma gallicum* McLachlan, 1880: zur Biologie, Ökologie und Verbreitung einer faunistischen Besonderheit Deutschlands. – Entomologie heute 17:13-26.
- Keller, Siegfried 2005  
New records of Entomophthoraceae (Fungi, Zygomycetes) from aquatic insects. – Mitt. Schweiz. Entomol. Ges 78:333-336.
- Kjærandsen, Jostein 2005  
Species assemblages and community structure of adult caddisflies along a headwater stream in southeastern Ghana (Insecta: Trichoptera). – Biodiversity and Conservation 14:1-43.
- Ogbogu, Sylvester Sunday 2005  
First report of Aethaloptera dispar Brauer 1875 (Trichoptera: Hydropsychidae) from Ile-Ife, southwestern Nigeria, West Africa. – Zootaxa 1088:25-32.
- Piscart, Christophe; Moreteau, Jean-Claude; Beisel, Jean-Nicolas 2005  
Decrease of fluctuating asymmetry among larval instars in an aquatic, holometabolous insect. – Comptes Rendus Biologies 328:912-917. [Hydropsyche exocellata]
- Piscart, Christophe, Lecerf, Antoine, Usseglio-Polatera, Philippe, Moreteau, Jean-Claude, Beisel, Jean-Nicolas 2005  
Biodiversity patterns along a salinity gradient: the case of net-spinning caddisflies. – Biodiversity and Conservation 14:2235-2249.
- Reding, Alexis; Reding, Jean-Paul G. 2005  
Ephemeroptères, Plecoptères et Trichoptères de la tourbitre du Cachot (1969-2004). – Bull. Soc. Neuchateloise Sci. Nat. 128:127-144.
- Sachanowicz, Konrad 2005  
Nowe stanowisko *Semblis phalaenoides* (Linnaeus, 1758) (Trichoptera: Phryganeidae) w polnocno-wschodniej Polsce. – Wiadomości Entomologiczne 24:252.
- Schmera, D. 2005  
Tegzeslárvák (Insecta: Trichoptera) koegzistenciális mintázatai Börzsönyi kisvízfolyások szakasz térszéleszintjén. – Acta Biol. Debr. Oecol. Hung. 13:201-206. [Coexistence patterns of caddisfly larvae in the streams of the Börzsöny Mountains (North Hungary)]
- Schmera, Dénes 2005  
Néhány fénycsapdával gyűjtött tegzesfaj (Insecta: Trichoptera) ivararány-elemzése. – Acta Biol. Debr. Oecol. Hung. 13:195-199. [Sex ratio analysis of some caddisfly species collected by light trap]
- Schmidt, Carsten; Hannig, Karsten 2005  
Die Köcherfliegen (Insecta, Trichoptera) des Truppenübungsplatzes Haltern-Platzel (Kreis Recklinghausen und Kreis Borken). – Abh. Westfäl. Mus. Naturk. 67:77-84.
- Schultheis, Alicia S.; Hughes, Jane M. 2005  
Spatial patterns of genetic structure among populations of a stone-cased caddis (Trichoptera: Tasimiidae) in south-east Queensland, Australia. – Freshwater Biology 50:2002-2010.
- Shan, Lin-na; Yang, Liang-fang 2005  
Descriptions of the larvae of *Lepidostoma fui* (Huang) and *L. arcuatum* (Huang) (Trichoptera: Lepidostomatidae). – Nanjing Nongye Daxue Xuebao 28:44-47. [Chinese]
- Skuja, Agnija 2005  
Caddisfly (Trichoptera) communities in the microhabitats of small streams in Latvia. – Verh. Int. Ver. theor. angew. Limnologie 29:1107-1109.
- Spänhoff, Bernd 2005  
Seasonal decline of body mass of the wood-dwelling caddisfly *Lype phaeopa* (Psychomyiidae). – Arch. Hydrobiol. 163:369-382.

- Spänhoff, Bernd 2005 Effect of permanent shading on adult size and biomass of the caddisfly *Lype phaeopa* (Stephens, 1836) (Psychomyiidae). – *Hydrobiologia* 549:179-186.
- Sukatsheva, I.D. 2005 A record of a larval caddis-case *Folindusia* of the subgenus *Acrindusia* (Trichoptera) from the Upper Cretaceous of the Amur Region. – *Paleontologicheskii Zhurnal* 5:47-49. [Russian]
- Wichard, Wilfried; Poinar, George O. 2005 Köcherfliegen aus dem Burma-Bernstein der oberen Kreide von Myanmar (Insecta, Trichoptera). – *Mitt.Geol.-Paläontol.Inst.Univ.Hamburg* 89:129-136.
- Wichard, W.; Gras, A.; Gras, H.; Dreesmann, D. 2005 Antireflexbelag und Schillerfarben auf den Augen von Köcherfliegen im Bernstein (Trichoptera). – *Entomol.Generalis* 27:223-238.
- Wilcock, Helen R.; Bruford, Michael W.; Hildrew, Alan G.; Nichols, Richard A. 2005 Recruitment, kin and the spatial structure of a caddisfly *Plectrocnemia conspersa* in a southern English stream. – *Freshwater Biol.* 50:1499-1514.
- 2006**
- Azevedo-Pereira, H.V.S.; Graca, M.A.S.; Gonzalez, J.M. 2006 Life history of *Lepidostoma hirtum* in an Iberian stream and its role in organic matter processing. – *Hydrobiologia* 559:183-192.
- Bergey, Elizabeth A.; Resh, Vincent H. 2006 Differential response of algae on small streambed substrates to floods. – *Amer.Midl.Nat.* 155:270-277.
- Berra, E.; Forcella, M.; Giacchini, R.; Rossaro, B.; Parenti, P. 2006 Biomarkers in caddisfly larvae of the species *Hydropsyche pellucidula* (Curtis, 1834) (Trichoptera: Hydropsychidae) measured in natural populations and after short term exposure to fenitrothion. – *Bull.Environmental Contaminat.Toxicol.* 76:863-870.
- Blinn, Dean W.; Ruiter, David E. 2006 Tolerance values of stream caddisflies (Trichoptera) in the lower Colorado River basin, USA. – *Southwestern Naturalist* 51:326-337.
- Blokhina, A.V.; Rozhkova, N.A.; Timoshkain, O.A. 2006 Phenological peculiarities and evolution of *Baicalina bellicosa* Mart. (Trichoptera, Apataniidae) – an endemic species of Lake Baikal. – *Hydrobiologia* 568:103-106.
- Boyero, Luz; Pearson, Richard G. 2006 Intraspecific interference in a tropical stream shredder guild. – *Marine & Freshw.Research* 57:201-206.
- Boyero, Luz; Rincon, Pedro A.; Bosch, Jaime 2006 Case selection by a limnephilid caddisfly (*Potamophylax latipennis* (Curtis)) in response to different predators. – *Behavioral Ecol. Sociobiol.* 59:364-372.
- Buczyńska, Edyta 2006 Caddisfly assemblages (Insecta, Trichoptera) of valley water bodies of Wieprz and Tyśmienica rivers (marginal stream valley Wieprz). – *Teka Kom.Ochr.Kszt.Środ.Przyr.* 3:24-29.
- Buczyńska, Edyta 2006 *Chruściki* (Trichoptera) Roztoczańskiego Parku Narodowego – stan poznania i perspektywy. – *Wiad.entomol.* 25, Supl.2:39-50. [Caddisflies of the Roztoczański National Park – the state of recognition and perspectives]
- Buczyńska, Edyta; Buczyński, Paweł 2006 Aquatic insects (Odonata, Coleoptera, Trichoptera) of the central part of the "Krowie Bagno" marsh: the state before restoration. – *Ann. Univ. Mariae Curie-Skłodowska Lublin* 61, Sect.C:71-88.
- Cain, Daniel J.; Buchwalter, David B.; Luoma, Samuel N. 2006 Influence of metal exposure history on the bioaccumulation and subcellular distribution of aqueous cadmium in the insect *Hydropsyche californica*. – *Environm.Toxicol.Chemistry* 25:1042-1049.
- Chaniecka, Karolina; Gruzewski, Mirosław 2006 Występowanie makrobezkręgowców w źródłach i ich odpływach na terenie rezerwatu "Kalinowo". – *Drozdowskie Zeszyty Przyrodnicze* 2006(3):45-52. [Occurrence of benthic macrofauna of springs and runoffs in the nature preserve "Kalinowo" (NE Poland)]
- Chvojka, Pavel; Komzák, Petr 2006 *Chrostiti* (Trichoptera) CHKO Kokořínsko. – *Bohemia centralis (Praha)* 27:355-363. [Caddisflies of Kokořínsko protected landscape area]
- Chvojka, Pavel 2006 Contribution to the knowledge of the caddisfly fauna (Trichoptera) of Iran: description of new species and new distributional data. – *Acta Ent. Mus.Nat.Pragae* 46:245-255.
- Cianficconi, Fernanda; Salerno, Piero; Tucciarelli, Francesco 2006 Elenco faunistico die tricotteri del massiccio del Monte Subasio (Umbria, Perugia) (Trichoptera). – *Boll. Assoc. Romana di Entomologia* 61:29-51.
- Czachorowski, Stanisław; Piotrowska, Katarzyna 2006 *Chruściki* (Trichoptera) Doliny Narwi między Wizną a Łomżą – ekologiczna charakterystyka rozmieszczenia. – *Drozdowskie Zeszyty Przyrodnicze* 2006(3):13-35. [Caddisflies in the Narew River's Valley between Wizna and Łomża. – an ecological characteristic of distribution]
- Elliott, J.M. 2006 Prey switching in *Rhyacophila dorsalis* (Trichoptera) alters with larval instar. – *Freshw.Biol.* 51:913-924.
- Evans, R.D.; Balch, G.C.; Evans, H.E.; Welbourn, P.M. 2006 Uptake and elimination of lead, zinc, and copper by caddisfly larvae (Trichoptera: Hydropsychidae) using stable isotope tracers. – *Arch. Environm. Contamin. Toxicol.* 51:35-42.
- Faucheux, Michel J. 2006 Le super-ordre des Amphipnesoptera (Trichoptera + Lepidoptera): arguments apportés par l'étude des sensilles placoides de *Micropterix calthella* L. (Lepidoptera: Zeugloptera: Micropterigidae). – *Bull. Soc.Sci.Nat. de l'Ouest de la France* 28:104-108.
- Gorka, Matthias 2006 Erstbeschreibung der Larve von *Ceraclea aurea* Pictet, 1834 (Trichoptera: Leptoceridae). – *Lauterbornia* 56:169-177.
- Greenwood, Malcolm 2006 'Bits and pieces'. Towards an environmental history of the River Trent. – *FBA news* 35:1-3.
- Greenwood, M.T.; Wood, P.J.; Monk, W.A. 2006 The use of fossil caddisfly assemblages in the reconstruction of flow environments from floodplain paleochannels of the River Trent, England. – *J.Paleolimnology* 35:747-761.

- Gullefors, Bo 2006  
Hydroptila lotensis Mosely, 1920, en ny nattslända (Trichoptera) för Sverige och nya provinsfynd av nattsländor 2003-2005. – Entomol.Tidskr. 127:135-141.
- Hess, Sam W. 2006  
A new caddisfly larval case (Insecta, Trichoptera) from the Lower Cretaceous Vectis Formation (Wealden Group) of the Isle of Wight, southern England. – Proc.Geologist's Assoc. 117:307-310.
- Henderson, Ian M.; Ward, John B. 2006  
Four new species of the caddis genus Philorheithrus (Trichoptera: Philorheithridae) from New Zealand. – Rec.Canterbury Museum 20:21-33.
- Hohmann, Mathias; Brauns, Mario; Jähring, Martina; Kleinstüber, Wolfgang; Tappenbeck, Lutz 2006  
Neu- und Wiederfunde von Köcherfliegen (Insecta, Trichoptera) in Sachsen-Anhalt seit 1994. – Abh.Ber.Naturkunde (Magdeburg) 29:105-124.
- Holomuzki, Joseph R.; Lowe, Rex L.; Riss, Jennifer A. 2006  
Comparing herbivory effects of stream macroinvertebrates on microalgal patch structure and recovery. – New Zealand J. Mar. Freshw. Research 40:357-367.
- Horecký, Jakub; Stuchlík, Evžen; Chvojka, Pavel; Hardekopf, David W.; Mihaljevič, Martin; Špaček, Jan 2006  
Macroinvertebrate community and chemistry of the most atmospherically acidified streams in the Czech Republic. – Water, Air & Soil Pollution 173:261-272.
- Ito, Tomiko 2006  
A new species of the genus Molanna Curtis (Trichoptera, Molannidae) from the Yaeyama Islands, the southernmost part of Japan. – Limnology 7:205-211.
- Ivanov, V.D.; Melnitsky, S.I. 2006  
Structure of the caddisfly, Dajella tenera Sukatsheva (Trichoptera, Glossosomatidae): Taxonomic identity of the species and an evidence of the pheromone communication of insects in the Mesozoic. – Entomol.Obozrenie 85:365-374, 470. [Russian]
- Ivanov, V.D.; Melnitsky, S.I. 2006  
The morphology of Dajella tenera (Trichoptera, Glossosomatidae): Taxonomic status and evidence for the pheromone communication in the Mesozoic. – Entomological Review 86:568-575.
- Ivanov, V.D. 2006  
Larvae of caddisflies (Insecta: Trichoptera) from the Mesozoic of Siberia. – Paleontological Journal 40:178-189.
- Johanson, Kjell Arne; Oláh, János 2006  
Eleven new species of Sericostomatoidea from Madagascar (Trichoptera: Helicopsyichidae, Petrothrincidae, Sericostomatidae). – Zootaxa 1205:1-30.
- Johanson, Kjell Arne; Malm, T. 2006  
Seven new Helicopsyche (Feropsyche) Johanson, 2002 from the Neotropical region and Nearctic Mexico (Insecta: Trichoptera: Helicopsyichidae). – Zootaxa 1208:1-24.
- Katsuma, Nobuyuki 2006  
Records of caddisflies collected from Ibaraki Prefecture, 2 – Caddisflies of Hitachi-Omiya-shi. – Ruriboshi 33:33-44. [Japanese]
- Kiss, Ottó; Nagy, Katalin; Solcz, Róbert 2006  
Észak-magyarországi vízfolyások gerinctelen makrofaunájáról. – Hidrológiai közlöny 86(6):63-65. [On the macroinvertebrate fauna of watercourses in northern Hungary]
- Komzák, Petr; Kroča, Jiří; Bojková, Jindřiška 2006  
Faunisticky zajímavé nálezy chrostiků (Insecta: Trichoptera) Moravskoslezských Beskyd. – Čas.Slez.Muz.Opava (A) 55:73-76. [Interesting faunistic records of caddisflies from the Moravskoslezské Beskydy Mountains (Czech Republic)]
- König, Olav 2006  
Das Forschungsprojekt "Limnologische Untersuchungen im Kalkquellmoor Benninger Ried bei Memmingen, Bayern". – Lauterbornia 57:3-20.
- Kuhara, Naotoshi; Nagayasu, Yoshie; Ito, Tomiko 2006  
Caddisflies of a headwater stream flowing into the Lake Shikotsuko, Hokkaido, northern Japan. – Biology of Inland waters 21:43-51 [Japanese]
- Lancaster, Jill; Buffin-Belanger, Thomas; Reid, Ian; Rice, Stephen 2006  
Flow- and substratum-mediated movement by a stream insect. – Freshwater Biology 51:1053-1069.
- Majecki, Janusz 2006  
Chruściki (Trichoptera) regionu łódzkiego. – Wydawnictwo Uniwersytetu Łódzkiego, 162 pp. [Trichoptera of the Łódź region]
- Malicky, Hans 2006  
Mitteleuropäische (extra-mediterrane) Arealkerne des Dinodal am Beispiel von Köcherfliegen. – Beitr. Ent. 56:347-359.
- Malicky, H. 2006  
Beiträge zur Kenntnis asiatischer Leptoceridae (Trichoptera: Adicella, Athripsodes, Ceraclea, Leptocerus, Oecetis, Parasetodes, Tagalopsyche, Triaenodes, Trichosetodes). – Linzer biol.Beitr. 38:1507-1530.
- Malicky, Hans; Chantaramongkol, Porntip 2006  
Beiträge zur Kenntnis asiatischer Setodes –Arten (Trichoptera, Leptoceridae). – Linzer biol. Beitr. 38:1531-1589.
- Malicky, Hans; Prommi, Taeng-on 2006  
Beschreibungen einiger Köcherfliegen aus Süd-Thailand (Trichoptera). – Linzer biol. Beitr. 38:1591-1608.
- Martín, Paola A. Rueda 2006  
New record of the genus Ithytrichia (Trichoptera: Hydroptilidae) for South America, with descriptions of male, larva and pupa of a new species from northwestern Argentina. – Aquatic Insects 28:251-256.
- Mey, Wolfram 2006  
Notes on the caddisfly fauna of Lake Matano in Central Sulawesi. – Beitr.Ent. 56:199-212.
- Mey, Wolfram 2006  
Chimarra guentheri sp. nov. – a new species from New Guinea (Insecta, Trichoptera). – Mitt.Mus.Nat.kd.Berl., Zool.Reihe 82:261-263.
- Mochizuki, Shoko; Kayaba, Yuichi; Tanida, Kazumi 2006  
Larval growth and development in the caddisfly Cheumatopsyche brevilineata under natural thermal regimes. – Entomol. Science 9:129-136.

- Nozaki, Takao; Tanida, Kazumi 2006  
The genus *Goera* Stephens (Trichoptera: Goeridae) in Japan. – *Zootaxa* 1339:1-29.
- Nozaki, Takao; Vshivkova, Tatyana S.; Ito, Tomiko 2006  
Larva, pupa and adults of *Nothopsyche nigripes* Martynov, 1914 (Trichoptera, Limnephilidae), with biological notes. – *Biology of Inland waters*, Suppl. 1 (Proc. 2<sup>nd</sup> Symp.AESEA): 49-55.
- Nuangchaleram, Prasart; Sangpradub, Narumon; Hanjavanit, Chutima 2006  
Ecological studies on a tube-case maker *Setodes* sp.1 (Trichoptera: Leptoceridae). – *Biology of Inland waters*, Suppl. 1 (Proc. 2<sup>nd</sup> Symp.AESEA): 3-8.
- Ogbogu, Sylvester Sunday 2006  
First record of the genus *Anisocentropus* McLachlan (Trichoptera: Calamoceratidae) from Nigeria, with description of mature larva. – *Tijdschrift voor Entomologie* 149:95-99.
- Oláh, János; Johanson, Kjell Arne; Barnard, Peter C. 2006  
Revision of the South Pacific endemic genera *Orthopsyche* McFarlane 1976, *Abacaria* Mosely 1941 and *Caledopsyche* Kimmins 1953 with the description of 29 new species (Trichoptera: Hydropsychidae). – *Zootaxa* 1356:1-78.
- Oscos, J.; Leunda, P.M.; Miranda, R.; Escala, M.C. 2006  
Primera cita de *Agriotypus armatus* Curtis, 1832 (Hymenoptera: Ichneumonidae) en Navarra (N.España). – *Munibe (Ciencias Naturales – Natur Zientziak)* 55:237-241.
- Osella, Giuseppe; Pannunzio, Giovanna 2006  
Alcune componenti del macrobenthos del fiume Giovenco (L'Aquila – Abruzzo). – *Quaderni Staz. Ecol. Civ.Mus.Stor.Nat.Ferrara* 16:21-41.
- Rincon, José; Martinez, Iliana 2006  
Food quality and feeding preferences of *Phylloicus* sp. (Trichoptera: Calamoceratidae). – *J. NABS* 25:209-215.
- Ruiter, David E. 2006  
The female of *Cnodocentron* (*Caenocentron*) *yavapai* Moulton and Stewart (Trichoptera: Xiphocentronidae). – *Western North American Naturalist* 66:527-528.
- Ruiz Garcia, Antonio; Herrera Grao, Antonio F.; Ferreras-Romero, Manuel 2006  
Distribution of Trichoptera communities in the Hozgarganta catchment (Los Alcomocales Natural Park, SW Spain). – *Int.Rev.Hydrobiol.* 91:71-85.
- Sand-Jensen, Kaj; Friberg, Nikolai; Murphy, John (eds.) 2006  
Running waters. Historical development and restoration of lowland Danish streams. National Environmental Research Institute, Copenhagen. 159 pp.
- Schiess-Bühler, H.; Rezbanyai-Reser, L. 2006  
Zur Insektenfauna vom Hanenriet bei Giswil, 470m, Kanton Obwalden. V. Trichoptera (Köcherfliegen). – *Ent. Ber. Luzern* 56:65-82.
- Schmera, D.; Eros, T. 2006  
Estimating sample representativeness in a survey of stream caddisfly fauna. – *Ann.Limnol.* 42:181-187.
- Serafin, Edyta 2006  
Species diversity of the caddisflies (Trichoptera) in the left-bank River Bug valley. – *Teka Komisji Ochrony i Kształtowania Środowiska Przyrodniczego* 1:195-201.
- Seredzus, Fabian; Wichard, Wilfried 2006  
Köcherfliegen (Insecta, Trichoptera) des Rheins bei Köln. – *Entomologie heute* 18:97-103.
- Shama, Lisa N.S.; Robinson, Christopher T. 2006  
Sex-specific life-history responses to seasonal time constraints in an alpine caddisfly. – *Evolutionary Ecology Research* 8:169-180. [*Allogamus uncatus*]
- Shan, Lin-na; Yang, Lian-fang 2006  
Descriptions of the larvae of *Paraphlegopteryx morsei* Yang & Weaver and *Goera ramosa* Yang & Armitage (Trichoptera: Lepidostomatidae and Goeridae). – *J. Nanjing Agric. Unive.* 29:142-145.[Chinese]
- Shubina, V.N. 2006  
Caddis flies (Trichoptera) in the benthos and food of fish from streams of the Pechora-Ilych State Biosphere Reserve, the northern Ural. – *Russian Journal of Ecology* 37:352-358.
- Sipahiler, Füsün 2006  
Revision of the genus *Psychomyia* Latreille, 1829 in Turkey (Trichoptera, Psychomyiidae). – *Aquatic Insects* 28:47-55.
- Sipahiler, Füsün 2006  
The pupa of *Calamoceras illiesi* Malicky & Kumanski, 1974 (Trichoptera Calamoceratidae). – *Aquatic Insects* 28:263-267.
- Smith, Peter J.; McVeagh, S. Margaret; Collier, Kevin J. 2006  
Population-genetic structure in the New Zealand caddisfly *Orthopsyche fimbriata* revealed with mitochondrial DNA. – *New Zealand J.Marine Freshw.Res.* 40:141-148.
- Tavzes, Branka; Urbanič, Gorazd; Toman, Mihael J. 2006  
Biological and hydromorphological integrity of the small urban stream. – *Physics and Chemistry of the Earth* 31:1062-1074.
- Torii, Takaaki; Hattori, Toshio 2006  
Trichoptera fauna of the Seto River system, Shizuoka, central Japan. – *Biology of Inland waters* 21:31-41 [Japanese]
- Tszydel, Mariusz; Grzybkowska, Maria; Szczerkowska, Eliza; Dukowska, Malgorzata 2006  
[Influence of the mineral substrate grain size on the completion of the *Hydropsyche pellucidula* life cycle]. – *Acta Agrophysica* 7:503-509. [Polish]
- Uherkovich, Ákos 2006  
Tegzesek (Trichoptera) magyarországi nemzeti parkokban és más védett területeken. – *Természetvédelmi Közlemények* 12:133-154. [Caddisflies in Hungarian national parks and other protected areas]
- Uherkovich, Ákos; Nógrádi, Sára 2006  
Caddisflies (Trichoptera) of the Mecsek Mountains, South Hungary. – *Natura Somogyiensis* 9:289-304.
- Urbanič, Gorazd 2006  
Description of the larva of *Polycentropus schmidi* Novak & Botosaneanu, 1965 (Trichoptera: Polycentropodidae) with some notes on its ecology. – *Aquatic Insects* 28:257-262.
- Urbanič, Gorazd; Toman, Mihael J. 2006  
Caddisflies in watercourses of the northern part of a Dinaric western Balkans ecoregion in relation to environmental factors. – *Verh.Internat.Verein.Limnol.* 29:2172-2176.
- Wallace, Ian 2006  
Simple key to caddis larvae. – FSC publications, 59 pp.

- Walter, Jason K.; Bilby, Robert E.; Fransen, Brian R. 2006 Effects of Pacific salmon spawning and carcass availability on the caddisfly *Ecclisomyia conspersa* (Trichoptera: Limnephilidae). – Freshw. Biol. 51:1211-1218.
- Wells, Alice 2006 A review of Australian long-horned caddisflies in the *Oecetis pechana*-group (Trichoptera: Leptoceridae), with descriptions of thirteen new species. – *Memoirs of Museum Victoria* 63:107-128.
- Weinzierl, Armin 2006 Steinfliegen (Plecoptera) und Köcherfliegen (Trichoptera) im Kalkquellmoor "Benninger Ried" bei Memmingen, Bayern. – *Lauterbornia* 57:117-122.
- Wiberg-Larsen, Peter 2006 Lysfældefangst af vårfluer (Trichoptera) fra Selbjerg Vejle – med første danske fund af *Limnephilus pati* O'Connor 1980. – *Flora og Fauna* 112:101-110. [Light trapped Trichoptera from Selbjerg Vejle, with the first Danish record of *Limnephilus pati*]
- Wiggers, Rink; van den Hoek, Tjeerd-Harm; van Maanen, Barend; Higler, Bert; van Kleef, Hein 2006 Some rare and new caddis flies recorded for the Netherlands (Trichoptera). – *Nederlandse Faunistische Mededelingen* 25:53-68.
- Wright-Stow, A.E.; Collier, K.J.; Smith, B.-J. 2006 Hyporheic production is substantially greater than benthic production for a common New Zealand caddisfly. – *Hydrobiologia* 560:295-310. [Olinga feredayi]
- Zalizniak, Liliana; Kefford, Ben J.; Nuggeoda, Dayanthi 2006 Is salinity the same ? 1. The effect of ionic compositions on the salinity tolerance of five species of freshwater invertebrates. – *Marine Freshw. Res.* 57:75-82. [*Notalina fulva*]
- Zamora-Muñoz, Carmen; Poquet, José Manuel; Alba-Tercedor, Javier; Bonada, Núria 2006 First record of *Agapetus nimbulus* McLachlan, 1879 (Trichoptera: Glossosomatidae) in the Iberian Peninsula. – *Boln.Asoc.esp.Ent.* 30:187-189.
- Zhong, Hua; Yang, Lian-fang; Morse, John C. 2006 Six new species of the genus *Polyplectropus* (Insecta, Trichoptera, Polycentropodidae) from China. – *Act Zootaxonomica Sinica* 31:859-866.
- 2007**
- Bochert, R. 2007 Aktuelle Nachweise gefährdeter Köcherfliegenarten (Trichoptera) aus Mecklenburg-Vorpommern. – *Ent.Nachr.Ber.* 51:56-58.
- Burmeister, Johannes; Goßner, Martin; Gruppe, Axel 2007 Insektengemeinschaften im Kronenraum von Koniferenarten im Forstlichen Versuchsgarten Grafath (Coleoptera: Coccinellidae, Curculionidae, Elateridae; Heteroptera; Neuropterida; Trichoptera). – *NachrBl.bayer.Ent.* 56:19-29.
- Coppa, Gennaro; Tachet, Henri 2007 Redescription de la larve de *Setodes viridis* (Fourcroy, 1785) et considérations sur les larves de *Setodes* européens (Trichoptera, Leptoceridae). – *Ephemera* 7:63-84.
- Coppa, Gennaro; González, Marcos 2007 Additions à la faune des Trichoptères de France: *Allotrichia galaica* González & Malicky, 1980 (Trichoptera, Hydroptilidae). – *Ephemera* 7:95-100.
- Dia, Aref; Thomas, Alain 2007 Écologie et biomonitoring des cours d'eau du Liban septentrional. 1. La rivière Aarqa (Ephemeroptera, Plecoptera, Trichoptera). – *Ephemera* 7:115-127.
- Fricová, Kamila; Růžicková, Jana; Hřebík, Štěpán 2007 Benthic macroinvertebrates as indicators of ecological integrity of lotic ecosystems in the Šumava National Park, Czech Republic. – *Silva Gabreta* 13:39-55.
- Gibon, François; Randriamasimanana, Désiré 2007 Le genre *Leptocerina* Mosely 1932 à Madagascar: systématique, habitat et répartition géographique (Trichoptera: Leptoceridae). – *Ann.soc.entomol.Fr.(n.s.)* 43:87-94.
- Guéorguiev, Borislav 2007 Krasimir Kumanski. – *Braueria* 34:7-13.
- Gullefors, Bo; Johanson, Kjell Arne 2007 Gotlands nattsländor (Trichoptera). – *Entomol. Tidskrift* 128:61-70.
- Henderson, Ian M.; Ward, John B. 2007 Three new species in the endemic New Zealand genus *Alloecentrella* (Trichoptera), and a re-evaluation of its family placement. – *Aquatic Insects* 29:79-96.
- Holzenthal, Ralph W.; Andersen, Trond 2007 Review of the caddisfly genus *Tagalopsyche* with the description of new species and a related new genus (Trichoptera: Leptoceridae: Mystacidini). – *Zootaxa* 1483:1-32.
- Ivanov, Vladimir D.; Melnitsky, Stanislav 2007 New data of the Trichoptera of Siberia. – *Braueria* 34:31-35.
- Kofler, Alois 2007 Köcherfliege und Feuersalamander im Brunnentrog. – *Osttiroler Heimatblätter* 75(7):2-3.
- Lodovici, Omar; Valle, Marco 2007 New data on the genus *Chaetopteryx* in Northern Italy and a description of *C. morettii* sp.n. – *Braueria* 34:15-16.
- Malicky, H. 2007 Köcherfliegen aus Bhutan (Insecta, Trichoptera). – *Linzer biol.Beitr.* 39:475-517.
- Malicky, Hans; Prevešić, Ana; Kučinić, Mladen 2007 *Rhyacophila cabrankensis* nov. spec. from Croatia. – *Braueria* 34:14.
- Malicky, Hans 2007 Nachträge und Korrekturen zum Atlas der europäischen Köcherfliegen und zum Verzeichnis der Köcherfliegen Europas (2). – *Braueria* 34:51-52.
- Oláh, János; Flint, Oliver S.; Johanson, Kjell Arne 2007 *Cheumatopsyche galapitikanda* species cluster in Sri Lanka with the description of four new species (Trichoptera, Hydropsychidae). – *Braueria* 34:21-28.
- Oláh, János; Johanson, Kjell Arne 2007 Trinomial terminology for cephalic setose warts in Trichoptera (Insecta). – *Braueria* 34:43-50.
- Pauls, Steffen U.; Feldheim, Kevin A.; Haase, Peter 2007 Isolation and characterization of microsatellite markers in the caddisfly *Drusus discolor* (Trichoptera: Limnephilidae). – *Molecular Ecology Notes* 7:150-152.



- Previšić, Ana; Kerovec, Mladen; Kučinić, Mladen 2007  
Emergence and composition of Trichoptera from Karst habitats, Plitvice Lakes Region, Croatia. – *Internat.Rev.Hydrobiol.* 92:61-83.
- Ruiter, David E. 2007  
Description of the *Limnephilus granti* (Nimmo) female with a redescription of the male (Trichoptera: Limnephilidae). – *Proc.Entomol.Soc.Wash.* 109:86-89.
- Ruiter, David E.; Nishimoto, Hiroyuki 2007  
*Crenophylax* (Trichoptera: Limnephilidae), a new genus to accommodate *Rhadicoleptus sperryi* Banks, 1943. – *Proc.Entomol.Soc.Wash.* 109:309-323.
- Ruiz-García, Antonio; Ferreras-Romero, Manuel 2007  
The larva and life history of *Stenophylax crossotus* McLachlan, 1884 (Trichoptera: Limnephilidae) in an intermittent stream from the southwest of the Iberian Peninsula. – *Aquatic Insects* 29:9-16.
- Sipahiler, Füsün 2007  
A new subspecies of *Rhyacophila* from Turkey (Trichoptera, Rhyacophilidae). – *Braueria* 34:17-18.
- Sipahiler, Füsün 2007  
The Trichoptera fauna of North-western Turkey with the descriptions of a new species and of some previously unknown females (Philopotamidae, Sericostomatidae). – *Braueria* 34:36-42.
- Sun, Changhai 2007  
Descriptions of three new species of Philopotamidae from China. – *Braueria* 34:19-20.
- Sushchik, N.N.; Gladyshev, M.I.; Kravchuk, E.S.; Ivanova, E.A.; Ageev, A.V.; Kalachova, G.S. 2007  
Seasonal dynamics of long-chain polyunsaturated fatty acids in littoral benthos in the upper Yenisei river. – *Aquatic Ecology* 41:349-365. [*Apatania crymophila*]
- Szczęsny, Bronisław 2007  
*Acrophylax sowai* sp.n. (Trichoptera: Limnephilidae) from the Western Carpathians. – *Aquatic Insects* 29:131-137.
- Szczęsny, Bronisław; Godunko, Roman J. 2007  
Caddis flies (Insecta: Trichoptera) in the collection of the State Museum of Natural History, National Academy of Sciences of Ukraine in Lviv. – *Acta zoologica cracoviensia* 50B:27-43.
- Tobias, Dagmar; Tobias, Wolfgang 2007  
Caddisflies of the West Palaearctic and Afrotropical regions of Africa: Working documents. – *Braueria* 34:29-30.
- Urbanič, Gorazd 2007  
Ciril Krušnik. – *Braueria* 34:5-6.
- Waringer, Johann; Graf, Wolfram; Vicentini, Heinrich 2007  
The larva of *Diplectrona atra* McLachlan, 1878 (Trichoptera: Hydropsychidae), based on Central European material. – *Aquatic Insects* 29:181-186.
- Whitehead, P.F. 2007  
New autecological data for *Enoicyla pusilla* (Burmeister, 1839) (Trichoptera: Limnephilidae) from the Worcestershire Malvern Hills. – *Entomologist's Gazette* 58:26-28.
- Wichard, Wilfried 2007  
Köcherfliegen (Trichoptera) im Dominikanischen Bernstein. – *DGaaE-Nachrichten* 21:25.
- Wichard, Wilfried 2007  
Overview and descriptions of caddisflies (Insecta, Trichoptera) in Dominican amber (Miocene). – *Stuttgarter Beitr.Naturk.,Ser.B*, 366:1-51.
- Wiggins, Glenn B. 2007  
Caddisflies: Architects under water. – *American Entomologist* 53:78-85.
- Zhou, Xin 2007  
The larvae of Chinese Hydropsychidae (Insecta: Trichoptera): Delimiting species boundaries using morphology and DNA sequences. – Dissertation, Rutgers University (New Brunswick, NJ, USA), 249 pp.




Fig 1




Fig.3.

